

| Abrechnungsbrennwerte in kWh/m <sup>3</sup> | Jan 21 | Feb 21 | Mrz 21 | Apr 21 | Mai 21 | Jun 21 | Jul 21 | Aug 21 | Sep 21 | Okt 21 | Nov 21 | Dez 21 |
|---------------------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Brennwertgebiet SW Lauffen a.N.             | 11,269 | 11,281 | 11,276 | 11,279 | 11,296 | 11,380 | 11,297 | 11,329 | -      | -      | -      | -      |

---

| Normdichte in kg/m <sup>3</sup> | Jan 21 | Feb 21 | Mrz 21 | Apr 21 | Mai 21 | Jun 21 | Jul 21 | Aug 21 | Sep 21 | Okt 21 | Nov 21 | Dez 21 |
|---------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Brennwertgebiet SW Lauffen a.N. | 0,7487 | 0,7567 | 0,7568 | 0,7565 | 0,7572 | 0,7708 | 0,7707 | 0,7743 | -      | -      | -      | -      |

---

| CO <sub>2</sub> -Gehalt in mol % in kg/m <sup>3</sup> | Jan 21 | Feb 21 | Mrz 21 | Apr 21 | Mai 21 | Jun 21 | Jul 21 | Aug 21 | Sep 21 | Okt 21 | Nov 21 | Dez 21 |
|-------------------------------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Brennwertgebiet SW Lauffen a.N.                       | 0,516  | 0,780  | 0,809  | 0,792  | 0,736  | 0,958  | 1,234  | 1,354  | -      | -      | -      | -      |